

NO.59729

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JAN 28 1994

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed JAN 28 1994

\*\*\*\*\*

The applicant **Rockview Farms**, hereby makes application for permission to change the **point of diversion, manner and place of use of a portion** of water heretofore appropriated under **permit No. 29649 certificate No. 13431**

\*\*\*\*\*

1. The source of water is **underground**
2. The amount of water to be changed **.1051 cfs, 50.0 acre-feet**
3. The water to be used for **dairy purposes**
4. The water heretofore permitted for **irrigation and domestic purposes**
5. The water is to be diverted at the following point **NE¼ NE¼ Section 09, T.17S., R.49E. M.D.B.&M., or at a point from which the NE corner of said Section 09 bears North 45 degrees East a distance of 100.00 feet.**
6. The existing permitted point of diversion is located within **NE¼ NE¼ Section 09, T.17S., R.49E. M.D.B.&M., or at a point from which the NE Corner of said section 09 bears North 87 degrees 40 minutes 51 seconds East a distance of 1,284.32 feet.**
7. Proposed place of use **the N½ NE¼ of Section 09 T.17S. R.49E. M.D.B.&M.**
8. Existing place of use **5.0 acres within the NW¼ NE¼ and 5.0 acres within the NE¼, NE¼ of section 09 T.17S. R.49E. M.D.B.&M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **existing drilled well to an underground distribution system.**
12. Estimated cost of works **\$20,000.00**
13. Estimated time required to construct works **1 year**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Water will be use in the daily operation of a commercial dairy.**

By **s/Thomas J. Smales, agent**  
**7011 Stewart and Gray Road**  
**P. O. Box 668**  
**Downey, California 90241**

Compared dl/cmf dl/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 29649, Certificate 11302 is issued subject to the terms and conditions imposed in said Permit 29649, Certificate 11302 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

## (PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1051 cubic feet per second, **but not to exceed 50.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

January 31, 2001

Proof of completion of work shall be filed before:

March 1, 2001

Water must be placed to beneficial use on or before:

January 31, 2003

Proof of the application of water to beneficial use shall be filed on or before:

March 1, 2003

Map in support of proof of beneficial use shall be filed on or before:


March 1, 2003

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 31st day of January A.D. 2000

  
State Engineer

Completion of work filed MAR 22 2001

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

